

# VIRTUAL REALITY VIDEO IMAGE BASED FIRE DETECTION RECOGNITION SYSTEM

<sup>1</sup>Miss.Badwar Hrutika, <sup>2</sup>Miss. Pardeshi Sanjana, <sup>3</sup>Miss. Sansare Mansi, <sup>4</sup>Miss. Chavan Shraddha, <sup>5</sup>Prof. Patil P.A.

<sup>1,2,3,4</sup>UG Students, <sup>5</sup>Project Guide

Department of Computer Engineering,  
SND College of Engineering and Research Centre, Yeola, India

**Abstract:** Fire detection technology based on video images can avoid many flaws in conventional methods and detect fires. To achieve this, the support vector machine (SVM) method in machine learning theory has unique advantages, while rough set (RS) theory and SVM complement each other in application. Thus, a new classifier could be created by organically combining these methods to identify fires and provide fire warnings, yielding excellent noise suppression and promotion. Therefore, in this study, an RS is used as the front-end system for the SVM method, yielding improved performance than only SVM. Recognition time is reduced, and recognition efficiency is improved. Experiments show that the RS-SVM classifier model based on parameter optimization proposed in this paper mitigates deficiencies in overfitting and determining local extremum with excellent reliability and stability, and enhances the forecast accuracy of fires.

**Keywords:** SVM algorithm, Machine learning

## Introduction

Accidental fire is a natural disaster that seriously threatens public safety. In recent years, accidental fire has frequently occurred in many places, including superstores, communities and forests, yielding huge losses to production and human life. After several decades of development, virtual reality technology has matured quickly and has changed people's lifestyles by being widely applied in many fields [1]. For example, VR technology has been used to manage accidental fire in industry, agriculture, hospitals, aviation, aerospace, and firefighting. Thus, virtual fire environment technology has become integral to future fire protection. Due to their detection principles or system structures, traditional fire detectors, which include temperature detectors, smog detectors and optical detectors, usually have inherent defects or application restrictions. Because flames and smog have specific colors, textures, shapes and other image features, people have begun to consider using computer visual features to improve the efficiency of fire detection (e.g., video flame detection technology based on image processing). In most The associate editor coordinating the review of this manuscript and approving it for publication was Zhihan Lv. fire scenes, flames and smog exist [2], [3]. Fire detection technology based on video images recognizes flames or smog in video images and then implements real time monitoring of fire scenes. This noncontact technique requires a computer to process imagery and discriminates suspicious targets that appear in the video images by studying and extracting visual features of flames or smog [4]. A support vector machine that uses the principle of structural risk minimization can solve problems that have a small sample, a high dimensionality, and a local extremum perfectly while avoiding over fitting, over dimensionality and other problems of conventional neural networks. SVM is an effective tool for classification and recognition. Many successful applications in classification, recognition, and regression prediction are based on SVM [5], [6]. To enhance the reliability and stability of a fire detection system, SVM has been studied and developed for the field of fire detection. SVM is built upon statistical learning theory and has a strong learning ability, adaptability, and a high classification accuracy [7]. Rough set theory approximately describes uncertain and inaccurate knowledge compared to known knowledge within a database, works well in processing large amounts of data, and removes redundant information. Therefore, this study investigates an image processing technology that uses both SVM and RS, and develops a fire flame image recognition method based on the RS-SVM classifier model.

## I. PROBLEM DEFINITION

Fire detection technology based on video images can avoid many flaws in conventional methods and detect fires. To achieve this, the support vector machine (SVM) method in machine learning.

## II. LITERATURE SURVEY

1. T. Celik and Hasan Demirel et al. further enhance system that uses a statistical color model with Fuzzy logic for fire pixel classification. The proposed system develop two models; one based on luminance and second based on chrominance. Fuzzy logic uses the YCbCr color space for the separation of luminance from chrominance instead of using color spaces such as RGB. Existing historic rules are replaced with the Fuzzy logic to make the classification more robust and effective. This model achieves up to 99.00% correct fire detection rate with a 9.50% false alarm rate.

2. R. Gonzalez-Gonzalez et al. proposed a method to detect fire by smoke detection based on wavelet.

In this smoke detection method, image processing on video signals is proposed. The SWT transform is used for the area detection of ROI's. This method comprises of three steps. In the first step, preprocessing is performed and the image is resized and transformed to grayscale image. Finally indexed the image using indexation. The second step involves high frequencies of an image is eliminated

using SWT and reconstruct the image by inverse SWT. In order to group the intensity colors that are closed to each other is the main purpose of image indexation. Histogram analysis is used to determine the indexation levels. After that compare the image with a non-smoke frame and selecting those pixels that are change from one scene to another. The final stage consists of smoke verification algorithm in order to determine whether ROI is increasing its area and to reduce the generation of false alarm. These three steps are combined together to form the final result.

**III. EXISTING SYSTEM**

The main part of previous system is the flow that will be used to estimate the amount of motion undergone by an object while moving from one frame to another.

**IV. PROPOSED SYSTEM**


In this proposed system we are analyzing characteristics parameters of fire i.e color, area, motion, smoke individually, all the parameters are examined simultaneously to reduce the false alarm rates which was present in a previous detection system.

**V. METHODOLOGY AND ALGORITHM**

The algorithm in which every operation is uniquely defined is called deterministic algorithms. The algorithm in which every operation may not have unique result, rather there can be specified set of possibilities for every operation, such algorithms are called Non deterministic algorithms. Non deterministic means no particular rule is followed to make guess.

**VI. MATHEMATICAL MODEL**

Let S be system:  
 $S = \{Input, Function, Output\}$   
 Input(Image)  
 $A = \{f1, f2, f3\}$  //Functions  
 S: is a System.  
 F1: Collecting File.  
 F2: Image Rendering  
 F3: Gray Scale Image  
 Output (Complete the process of fire detection)



**VII. SYSTEM ARCHITECTURE**







Figure 4.1: System Architecture

VIII. RESULT AND ANALYSIS



## IX. FUTURE SCOPE

Scope of this paper is to detect the smoke as an indicator of fire. Here visible and infrared images are combined together to distinguish smoke from smoke like objects. Earlier approach that uses sensor or visible images only gives false alarm.,

## ADVANTAGES

- Decrease risk of fire damage.
- Detecting potential fires early
- More robust to fast expanding flames with dynamic colors

## LIMITATIONS

- Need of sufficient and specific conditions
- Variability of Shape, Motion, Colors and Patterns of fire and smoke
- Less accuracy visual information
- It is possible for a false detection if only color characteristics have been used.

## X. CONCLUSION

With the recent rapid development of computer graphics and hardware, VR technology has entered a relatively mature application state and has been widely applied in fire detection. Image-type fire flame recognition methods are unconventional for early fire flame recognition. This study has investigated image-type fire flame recognition using a support vector machine and rough set theory. In practical applications, the RS method is sensitive to noise and poor in fault tolerance and generalization, while SVM has strong anti-noise capability and generalization performance. This paper has presented an RS-SVM fire flame recognition algorithm and designed a classifier of fire flame image recognition. By building a model with SVM, the parameters of which have been optimized, this study used more feature variables as criteria, represented the static and dynamic features of flames, selected and extracted the most effective feature subsets, fused the features of fire flame images extracted, and reduced required training to recognize and extract flame regions. The experimental results show that the proposed fire flame recognition strategy yields a high recognition rate, a fast recognition speed, excellent robustness, and a wide range of application.

## XII. ACKNOWLEDGMENT

It gives us great pleasure in presenting the project report on '**VIRTUAL REALITY VIDEO IMAGE BASED FIRE DETECTION RECOGNITION SYSTEM**'. We would like to take this opportunity to thank our internal guide **Prof. Chandgude A. S.** for giving us all the help and guidance we needed. So really grateful to him for their kind support. Their valuable suggestions were very helpful. We are thankful to our Head of Department **Prof. Pawar U. B.** for providing various resources such as laboratory with all needed software platforms, continuous internet connection, for our project. Beside we are thankful to **Dr. Patil P. M.** Principal of our college and management.

We would like to extend our sincere thanks to our family members. It is privilege to acknowledge their cooperation during the course of this dissertation. We express our heartiest thanks to our known and unknown well-wishers for their unreserved cooperation, encouragement and suggestions during the course of this dissertation report.

We would like to thanks to our all teachers, and all our friends who helped with the ever daunting task of gathering information for the dissertation.

## REFERENCES

- [1] S. M. Nematidine and D. Gupta, "Nonsampled contourlet domain visible and infrared image fusion framework for fire detection using pulse coupled neural network and spatial fuzzy clustering," *Fire Saf. J.*, vol. 101, pp. 84\_101, Oct. 2018.
- [2] Q.-X. Zhang, G.-H. Lin, Y.-M. Zhang, G. Xu, and J.-J. Wang, "Wildland forest fire smoke detection based on faster R-CNN using synthetic smoke images," *Procedia Eng.*, vol. 211, pp. 441\_446, Jan. 2018.
- [3] P. Li and W. Zhao, "Image fire detection algorithms based on convolutional neural networks," *Case Stud. Thermal Eng.*, vol. 19, Jun. 2020, Art. no. 100625.
- [4] P. Coppo, "Simulation of fire detection by infrared imagers from geostationary satellites," *Remote Sens. Environ.*, vol. 162, pp. 84\_98, Jun. 2015.
- [5] C. Singh, E. Walia, and K. P. Kaur, "Enhancing color image retrieval performance with feature fusion and non-linear support vector machine classifier," *Optik*, vol. 158, pp. 127\_141, Apr. 2018.
- [6] R. Azhar, D. Tuwohingide, D. Kamudi, Sarimuddin, and N. Suciati, "Batik image classification using SIFT feature extraction, bag of features and support vector machine," *Procedia Comput. Sci.*, vol. 72, no. 1, pp. 24\_30, 2015.
- [7] R. Hou, M. Pan, Y. Zhao, and Y. Yang, "Image anomaly detection for IoT equipment based on deep learning," *J. Vis. Commun. Image Represent.*, vol. 64, Oct. 2019, Art. no. 102599.
- [8] S. S. Esfahlani, "Mixed reality and remote sensing application of unmanned aerial vehicle in fire and smoke detection," *J. Ind. Inf. Integr.*, vol. 15, pp. 42\_49, Sep. 2019.
- [9] A. Hackner, H. Oberpriller, A. Ohnesorge, V. Hechtenberg, and G. Müller, "Heterogeneous sensor arrays: Merging cameras and gas sensors into innovative fire detection systems," *Sens. Actuators B, Chem.*, vol. 231, pp. 497\_505, Aug. 2016.
- [10] Z. Lin, F. Chen, Z. Niu, B. Li, B. Yu, H. Jia, and M. Zhang, "An active fire detection algorithm based on multi-temporal FengYun-3C VIRR data," *Remote Sens. Environ.*, vol. 211, pp. 376\_387, Jun. 2018.

- [11] K. Muhammad, J. Ahmad, and S. W. Baik, "Early fire detection using convolutional neural networks during surveillance for effective disaster management," *Neurocomputing*, vol. 288, pp. 30\_42, May 2018.
- [12] C. Filizzola, R. Corrado, F. Marchese, G. Mazzeo, R. Paciello, N. Pergola, and V. Tramutoli, "RST-FIRES, an exportable algorithm for early-fire detection and monitoring: Description, implementation, and field validation in the case of the MSGSEVIRI sensor," *Remote Sens. Environ.*, vol. 186, pp. 196\_216, Dec. 2016.
- [13] A. Koltunov, S. L. Ustin, B. Quayle, B. Schwind, V. G. Ambrosia, and W. Li, "The development and first validation of the GOES early fire detection (GOES-EFD) algorithm," *Remote Sens. Environ.*, vol. 184, pp. 436\_453, Oct. 2016.
- [14] H.-J. Zhang, N. Zhang, and N.-F. Xiao, "Fire detection and identification method based on visual attention mechanism," *Optik*, vol. 126, no. 24, pp. 5011\_5018, Dec. 2015.

